



Trade name: Polyamide 6.6 (PA6.6) Filament Yarns

Date of issue: 18.04.2007/Version 2.01/chw

replaces issue of: 20.07.2006

This Safety Information Sheet is NOT a Safety Data Sheet. It has been designed to supply to the industrial user the necessary information for a safe handling of a product, which is not subject legislation of dangerous preparations or substances

1. Identification of substance/preparation and company/undertaking

Product name: **Polyamide 6.6 (PA6.6) Multifilament Yarns**
Producer and Supplier: **Nexis Fibers a.s.**
Chemlonská 1
SK-06612 Humenné (Slovakia)
Tel. +421 57 772 20 27
Fax +421 57 772 26 50
Nexis Fibers Head Office: **Nexis Fibers AG**
Gerliswilstrasse 19
CH-6021 Emmenbrücke (Switzerland)
Telephone Numbers: Switchboard: +41 41 267 87 87 **Emergency No. +41 41 267 82 22**
Fax +41 41 267 92 22
E-Mail: productsafety@nexis-fibers.com

2. Composition / information on ingredients

Chemical nature: Polyamide 6.6 Adipic-acid – 1.6-hexanediamine Polymer
[CAS No. 32131-17-2]
Physical nature: Multifilament continuous yarn, different dtex, counts and types.
Raw white (ecru) or dyed.
Preparation on the fibre: Normally, the product is coated with a spin finish. Amounts vary
from 0.6% to 1.2 % depending on yarn type and dtex. Typical
composition: lubricants, emulsifiers, anti-electrostatic agents.
Heat protected Types: Yarn Types 6xx contain small amounts of alkali halide and copper
salts in the polymer.

3. Hazards identification

To the best of our knowledge, Polyamide 6.6 yarn product have not been associated with negative effects on humans if used in accordance with good industrial hygiene practice and any legal requirements.

4. First-aid measures

Inhalation: Not specifically concerned
Skin contact: Not specifically concerned



Trade name: Polyamide 6.6 (PA6.6) Filament Yarns

Date of issue: 18.04.2007/Version 2.01/chw

replaces issue of: 20.07.2006

In case of fire, the molten product may cause burns. Rinse with plenty of water. **Do not** attempt to remove clothes (danger of adherence to the skin). Call for a physician.

Eye contact: Not specifically concerned

Ingestion: Not specifically concerned

5. Fire-fighting measures

Fire extinguishing agents: All usual extinguishing media may be used

Restrictions: No restrictions

Specific information for fire-fight: Use autonomous respirators to fight fire indoor or in poorly ventilated areas. Do not use water as extinguishing agent in the presence of uninterrupted electrical installations.

Hazardous decomposition products: Depending on temperature and oxygen availability, combustion off-gases contain variable quantities of toxic substances (carbon monoxide, hydrogen cyanide, various organic compounds) which must not be inhaled.

Emergency Response Intervention (ERI)-Card-number : 4-03

6. Accidental release measures

Accidental dispersion/spill: Collect material for controlled re-use or waste disposal. No special safety risks or risks to the environment.

7. Handling and storage

Fire precautions: Remove dust, fly and finish residues by ventilation and vacuum cleaning, especially on heat setting operations. Keep away from ignition sources. Beware of static electricity and discharges.

Storage: No special safety precautions.

Storage conditions: Consider technical advises referring to optimal processability.

Packaging condition: The product is packed upon delivery in suitable packaging material which may be recycled



Trade name: Polyamide 6.6 (PA6.6) Filament Yarns

Date of issue: 18.04.2007/Version 2.01/chw

replaces issue of: 20.07.2006

8. Exposure controls and personal protection

Components with occupational exposure limits: none
Industrial hygiene: No special risks if handled in accordance with good industrial hygiene practice and any legal requirements.
Personal protection: According to good practice of textile industry

9. Physical and chemical properties:

Appearance:	Form:	Multifilament yarns, wound up on suitable spools / cylinders
	Colour:	raw white (ecru) or dyed
	Odour:	none
Melting range:	[°C]:	250 - 260
Flash point:	[°C]:	about 400
Ignition temperature:	[°C]:	about 450
Thermal decomposition:	[°C]:	starts at about 350. At 150°C evaporation of spin-finish may start
Explosion limits:		not explosive
Density:	[g/cm ³]:	1.13 - 1.15
Vapour pressure:		not applicable
Solubility in water:		Yarn product is not water soluble

10. Stability and reactivity

Conditions to avoid:	none under normal storage conditions
Materials to avoid:	none under normal storage conditions
Hazardous decomposition products:	none under normal storage conditions

Combustion off-gases see point 5.

11. Toxicological information

The yarn product does not present special risks on humans if used in accordance with good Industrial hygiene practice and the concerning legal requirements.

The product is not aseptic.

In case of special end uses, Nexis Fibers AG may be contacted for additional information.

Spin-finish on the yarn may cause skin-irritation at long-term contact.



Trade name: Polyamide 6.6 (PA6.6) Filament Yarns

Date of issue: 18.04.2007/Version 2.01/chw

replaces issue of: 20.07.2006

12. Ecological information

The fiber product is not associated with ecological problems, provided that the wastes are orderly disposed of.

Because of its chemical nature, the product is not ecotoxic and not readily biodegradable.

13. Disposal considerations

Can be disposed of as solid waste or burned in suitable installations, subject to local regulations. Recycling or thermal recycling is recommended for both the product and packaging material

14. Transport information

International regulations:

Class RID/ADR:	not classified as hazardous material
Class ICAO/IATA:	not classified as hazardous material
Class OMI/IMDG:	not classified as hazardous material

15. Other information

This Safety Information Sheet is intended to inform about physical properties, safety aspects, toxicological data and ecological characteristics that are relevant for the use of synthetic fibers in textile, technical and industrial applications, and to recommend procedures for their handling, storage and transport.

This Safety Information Sheet is a complement to Technical Data Sheets but does not replace them. The information given is to the best of our knowledge at the date of issue. It does not constitute a contractual description of product properties. It is not meant to be handed out to private end-users.

The Safety Information Sheet does not disengage the user of his duty to know and to apply any law and regulation that may be relevant.

Additional information may be requested at Nexis Fibers AG if special applications of synthetic fibres are intended.